# Index

## IEE Proceedings-I
## Communications, Speech and Vision
## Vol. 139, 1992

ABBREVIATIONS

p paper, address or lecture
d discussion on a paper
a abstract of paper or address
e errata

### Author index


A

Acha, V., and Carrasco, R.A. Maximum-likelihood synchronisation algorithms for $Q^2PSK$ p597
Aghvami, A.H., and Fines, P. see Fines, P.
Ahl, K.-A., and Zander, J. see Zander, J.
Alder, M.D., Haig, T.D., and Attikiouzel, Y. see Haig, T.D.
Alder, M.D., Togneri, R., and Attikiouzel, Y. see Togneri, R.
Alparone, L., Mongatti, G., Benelli, G., Baronti, S., Lotti, F., and Casini, A. see Mongatti, G.
Attikiouzel, Y., Haig, T.D., and Alder, M.D. see Haig, T.D.
Attikiouzel, Y., Togneri, R., and Alder, M.D. see Togneri, R.

B

Baronti, S., Mongatti, G., Alparone, L., Benelli, G., Lotti, F., and Casini, A. see Mongatti, G.
Bateman, A., and Chan, K.Y. see Chan, K.Y.
Benedetto, S., Biglieri, E., Luvison, A., and Zingarelli, V. Moment-based performance evaluation of digital transmission systems p258
Benelli, G., Mongatti, G., Alparone, L., Baronti, S., Lotti, F., and Casini, A. see Mongatti, G.
Biglieri, E., Benedetto, S., Luvison, A., and Zingarelli, V. see Benedetto, S.
Bolis, S., Economou, E.G., and Philokyprou, G. Scheduling delay protocols integrating voice and data on a bus LAN p407
Bons, J.H., Johannessen, A.B., Prasad, R., and Weyland, N.B.J. see Johannessen, A.B.
Bouquin, R. Le, and Faucon, G. Using the coherence function for noise reduction p276
Braithwaite, S.J., and Gibbs, J.A. see Gibbs, J.A.
Burr, A.G. Comparison of coherent and non-coherent modulation in the presence of phase noise p147

C

Carrasco, R.A., and Acha, V. see Acha, V.
Carter, P.P.S., and Turkmani, A.M.D. Performance evaluation of Rayleigh and log-normal GMSK signals in the presence of cochannel interference p156
Casini, A., Mongatti, G., Alparone, L., Benelli, G., Baronti, S., and Lotti, F. see Mongatti, G.
Chan, K.Y., and Bateman, A. Performance of MPSK trellis-coded modulation in Rayleigh fading with an imperfect phase reference p329
Chang, R.F., Chen, W.T., and Wang, J.S. Image sequence coding using adaptive tree-structured vector quantisation with multipath searching p9
Chang, Y.-J., Wu, J.-L.C., and Ho, H.-J. Optimal virtual circuit routing in computer networks p625
Chen, C.S., Ma, S., Zhou, H., and Yuan, J. see Ma, S.
Chen, S.-H., Lee, L.-S., and Hwang, H.-K. see Lee, L.-S.
Chen, W.T., Chang, R.F., and Wang, J.S. see Chang, R.F.
Chen, X., and Leslie, I.M. Neural adaptive congestion control for broadband ATM networks p233
Chen, X.-H., and Oksman, J. BER performance analysis of 4-CCL and 5-CCL codes in slotted indoor CDMA systems p79
Chen, X.H., Lu, W.X., and Oksman, J. Use of code sensing technique in the receiver-based spreading code protocol and its performance analysis p85
Chen, X.H., and Oksman, J. Busy code broadcasting and sensing protocol for collision-free CDMA packet radio networks and its performance analysis p613
Clarke, R.J. On transform coding of motion-compensated difference images p372
Clarke, R.J., and Cordell, P.J. see Cordell, P.J.
Clarke, R.J., and Soryani, M. see Soryani, M.
Clarke, R.J., and Wang, Q. see Wang, Q.
Cordell, P.J., and Clarke, R.J. Low bit-rate image sequence coding using spatial decomposition p575
Cryan, R.A., and Unwin, R.T. Reed–Solomon coded homodyne digital pulse position modulation p140

D

Darbyshire, E.P., and Gott, G.F. A chirp modem incorporating interference excision p395
Ding, H., and Fahmy, M.M. Synchronised linear almost periodically time-varying adaptive filter p429
Dubey, V.K., Lim, N.K., and Gunawan, E. Performance evaluation of pragmatic TCM codes through band-limited nonlinear satellite channel: a computer simulation approach p15

E

Economou, E.G., Bolis, S., and Philokyprou, G. see Bolis, S.
Elia, M., Losana, C., and Neri, F. Note on the complete decoding of Kerdock codes p24

F

Fahmy, M.M., and Ding, H. see Ding, H.
Fantacci, R. Throughput efficiency and queueing analysis of generalised stop-and-wait ARQ protocols p251
Faucon, G., and Bouquin, R. Le see Bouquin, R. Le
Fines, P., and Aghvami, A.H. A comparison study of low bit rate DE-QPSK, TCM 8-ary PSK and 16-ary DE-QAM fully digital demodulators operating over a land mobile satellite link p319
Fortune, P.M., Hanzo, L., Salami, R., and Steele, R. see Hanzo, L.
Foulkes, P. Using predicted irradiation profiles to extract shape information from infrared images p569

G

Ganesh, R., and Pahlavan, K. Statistical characterisation of a partitioned indoor radio channel p539
Gibbs, J.A., and Braithwaite, S.J. Convolutionally encoded FFH-MFSK: demodulation and frequency tracking over frequency-varying jammed channels p386
Goldberg, M., and Wang, L. see Wang, L.
Goodman, D.J., and Wong, W.C. see Wong, W.C.
Goodyear, C.C., Greenwood, A.R., and Martin, P.A. see Greenwood, A.R.
Gott, G.F., and Darbyshire, E.P. see Darbyshire, E.P.
Grant, P.M., Mowbray, R.S., and Pringle, R.D. see Mowbray, R.S.
Greenwood, A.R., Goodyear, C.C., and Martin, P.A. Measurements of vocal tract shapes using magnetic resonance imaging p553
Gunawan, E., Dubey, V.K., and Lim, N.K. see Dubey, V.K.

H

Hagen, R., and Hedelin, P. Spectral coding by LSP frequencies — scalar and segmented VQ-methods p118
Haig, T.D., Attikiouzel, Y., and Alder, M.D. Border following: new definition gives improved borders p206
Hanzo, L., Salami, R., Steele, R., and Fortune, P.M. Transmission of digitally encoded speech at 1.2 Kbaud for PCN p437
Hausien, H.H., and Martin, J.D. see Martin, J.D.
Hedelin, P., and Hagen, R. see Hagen, R.
Henkel, W., and Keller, P. Probability of frame synchronisation failure for binary and complex-valued sequences p29
Ho, H.-J., Chang, Y.-J., and Wu, J.-L.C. see Chang, Y.-J.
Huang, J.-H., and Kleinrock, L. Throughput analysis and protocol design for CSMA and BTMA protocols under noisy environments p289
Hwang, H.-K., Lee, L.-S., and Chen, S.-H. see Lee, L.-S.

I

Iqbal, M.S., and Poon, F.S.F. see Poon, F.S.F.
Iqbal, M.S., and Poon, F.S.F. Packet level access control scheme for internetwork security p165
Ireton, M.A., Li, X., and Xydeas, C.S. see Li, X.

J

Jiang, J., and Jones, S. Word-based dynamic algorithms for data compression p582
Johannessen, A.B., Prasad, R., Weyland, N.B.J., and Bons, J.H. Coding efficiency of multiring differential chain coding p224
Jones, S., and Jiang, J. see Jiang, J.

K

Kang, S.B., and Ngan, K.N. see Ngan, K.N.
Kaplan, G., and Shamai, S. On the achievable information rates of DPSK p311
Kegel, A., Misser, H.S., and Prasad, R. see Misser, H.S.
Keller, P., and Henkel, W. see Henkel, W.
Kennedy, R.A., and Pulford, G.W. see Pulford, G.W.
Kleinrock, L., and Huang, J.-H. see Huang, J.-H.
Ko, C.C. Resolution of coherent sources in power inversion arrays with a fast zero tracking algorithm p45
Kokkos, A., O'Reilly, J.J., Popplewell, A., and Williams, S. Evaluation of a class of error control line codes: an error performance perspective p128

L

Lara-Barron, M.M., and Lockhart, G.B. Packet-based embedded encoding for transmission of low-bit-rate-encoded speech in packet networks p482
Lee, J., and Shiozaki, A. Decoding delays of orchard codes p413
Lee, L.-S., Hwang, H.-K., and Chen, S.-H. Asymmetric modulation indices in full/partial response multi-H phase-coded modulations with different phase pulse functions p508
Leslie, I.M., and Chen, X. see Chen, X.
Li, X., Ireton, M.A., and Xydeas, C.S. Detection of the extreme points of closed contours p198
Lim, N.K., Dubey, V.K., and Gunawan, E. see Dubey, V.K.
Linnartz, J.-P.M.G. Slotted ALOHA land-mobile radio networks with site diversity p58
Liu, C.-Y., and Prasad, R. see Prasad, R.
Lockhart, G.B., and Lara-Barron, M.M. see Lara-Barron, M.M.
Loizou, P.C., and Spanias, A.S. see Spanias, A.S.
Losana, C., Elia, M., and Neri, F. see Elia, M.
Lotti, F., Mongatti, G., Alparone, L., Benelli, G., Baronti, S., and Casini, A. see Mongatti, G.
Lu, W.X., Chen, X.H., and Oksman, J. see Chen, X.H.
Luvison, A., Benedetto, S., Biglieri, E., and Zingarelli, V. see Benedetto, S.
Lyberopoulos, G.L., and Sykas, E.D. see Sykas, E.D.

M

Ma, S., Zhou, H., Chen, C.S., and Yuan, J. Decoding complement-closed codes with coordinate-disjoint decomposition p488
Manikopoulos, C.N. Neural network approach to DPCM system design for image coding p501
Markham, K.C. Time-to-go estimation from infrared images p356
Marshall, S. Application of image contours to three aspects of image processing: compression, shape recognition and stereopsis p1
Martin, J.D., and Hausien, H.H. PPM versus PCM for optical local-area networks p241
Martin, P.A., Greenwood, A.R., and Goodyear, C.C. see Greenwood, A.R.
Mathew, G., Narasimhan, S.V., and Shivaprasad, A.P. Computationally simple ADPCM based on exponential power estimator p53
McGee, W.F., and Zhang, G. see Zhang, G.
Misser, H.S., Kegel, A., and Prasad, R. Monte Carlo simulation of direct sequence spread spectrum for indoor radio communication in a Rician fading channel p620
Moeneclaey, M., and Wang, J. Multiple hops/symbol fast frequency-hopping spread spectrum multiple access with coding for indoor radio p95

Mongatti, G., Alparone, L., Benelli, G., Baronti, S., Lotti, F., and Casini, A. Progressive image transmission by content driven Laplacian pyramid encoding p495
Mowbray, R.S., Pringle, R.D., and Grant, P.M. Increased CDMA system capacity through adaptive cochannel interference regeneration and cancellation p515

N

Narasimhan, S.V., Mathew, G., and Shivaprasad, A.P. see Mathew, G.
Neri, F., Elia, M., and Losana, C. see Elia, M.
Ngan, K.N., and Kang, S.B. 3-D object recognition using fuzzy quaternions p561
Nicolas, J., and Vucetic, B. see Vucetic, B.
Nofal, M., and Steele, R. see Steele, R.

O

O'Reilly, J.J., Kokkos, A., Popplewell, A., and Williams, S. see Kokkos, A.
O'Reilly, J.J., Popplewell, A., and Williams, S. see Popplewell, A.
O'Reilly, J.J., and Popplewell, A. see Popplewell, A.
Oksman, J., Chen, X.H., and Lu, W.X. see Chen, X.H.
Oksman, J., and Chen, X.-H. see Chen, X.-H.
Oksman, J., and Chen, X.H. see Chen, X.H.
Okui, S. Probability of co-channel interference for selection diversity reception in the Nakagami *m*-fading channel p91

P

Pahlavan, K., and Ganesh, R. see Ganesh, R.
Panayirci, E. Jitter analysis of a phase-locked digital timing recovery system p267
Philokyprou, G., Bolis, S., and Economou, E.G. see Bolis, S.
Poon, F.S.F., and Iqbal, M.S. see Iqbal, M.S.
Poon, F.S.F., and Iqbal, M.S. Design of a physical layer security mechanism for CSMA/CD networks p103
Popplewell, A., Kokkos, A., O'Reilly, J.J., and Williams, S. see Kokkos, A.
Popplewell, A., O'Reilly, J.J., and Williams, S. Architectures for fast encoding and error detection of cyclic codes p340
Popplewell, A., and O'Reilly, J.J. Runlength limited binary error control codes p349
Prasad, R., Johannessen, A.B., Weyland, N.B.J., and Bons, J.H. see Johannessen, A.B.
Prasad, R., Misser, H.S., and Kegel, A. see Misser, H.S.
Prasad, R., and Liu, C.-Y. Throughput analysis of some mobile packet radio protocols in Rician fading channels p297
Pringle, R.D., Mowbray, R.S., and Grant, P.M. see Mowbray, R.S.
Pulford, G.W., and Kennedy, R.A. Maximum *a posteriori* decision feedback detection p546

R

Raychaudhuri, D. Time-of-arrival-based retransmission scheduling for unslotted random access channels p303

S

Salami, R., Hanzo, L., Steele, R., and Fortune, P.M. see Hanzo, L.
Salehi, M. Capacity and coding for memories with real-time noisy defect information at encoder and decoder p113
Salous, S. IF digital generation of FMCW waveforms for wideband channel characterisation p281
Serizawa, Y., Watanabe, Y., and Takeshita, S. Multipath propagation effects on digital radio equipped with a plane reflector repeater p176
Shamai, S., and Kaplan, G. see Kaplan, G.
Shiozaki, A., and Lee, J. see Lee, J.
Shiu, J., and Wu, J.-L. see Wu, J.-L.
Shivaprasad, A.P., Mathew, G., and Narasimhan, S.V. see Mathew, G.
Shukla, P.K., and Turner, L.F. Examination of an adaptive DFE and MLSE/near-MLSE for fading multipath radio channels p418
Soryani, M., and Clarke, R.J. Segmented coding of digital image sequences p212
Spanias, A.S., and Loizou, P.C. Mixed Fourier/Walsh transform scheme for speech coding at 4.0 kbit/s p473
Steele, R., Hanzo, L., Salami, R., and Fortune, P.M. see Hanzo, L.
Steele, R., and Nofal, M. Teletraffic performance of microcellular personal communication networks p448
Su, Yu T. Decoding metrics for slow frequency-hopped DPSK systems p525
Sykas, E.D., and Lyberopoulos, G.L. Performance analysis of interconnected CSMA/CD local area networks p181

T

Takeshita, S., Serizawa, Y., and Watanabe, Y. see Serizawa, Y.
Togneri, R., Alder, M.D., and Attikiouzel, Y. Dimension and structure of the speech space p123
Tucker, R. Voice activity detection using a periodicity measure p377
Turkmani, A.M.D. Probability of error for *M*-branch macroscopic selection diversity p71
Turkmani, A.M.D., and Carter, P.P.S. see Carter, P.P.S.
Turner, L.F., and Shukla, P.K. see Shukla, P.K.

U

Unwin, R.T., and Cryan, R.A. see Cryan, R.A.

V

Venkatesh, Y.V. Hermite polynomials for signal reconstruction from zero-crossings. Part 1: One-dimensional signals p587
Vucetic, B., and Nicolas, J. Performance of 8-PSK trellis codes over nonlinear fading mobile satellite channels p462

W

Wales, S.W. Spectral efficiency of *M*-QAM in frequency reuse radio systems p381
Wang, J., and Moeneclaey, M. see Moeneclaey, M.
Wang, J.S., Chang, R.F., and Chen, W.T. see Chang, R.F.
Wang, L., and Goldberg, M. Pyramid transform coding p364
Wang, Q., and Clarke, R.J. A new motion-compensated image sequence coding scheme at 64 kbit/s p219
Watanabe, Y., Serizawa, Y., and Takeshita, S. see Serizawa, Y.
Weyland, N.B.J., Johannessen, A.B., Prasad, R., and Bons, J.H. see Johannessen, A.B.
Williams, S., Kokkos, A., O'Reilly, J.J., and Popplewell, A. see Kokkos, A.
Williams, S., Popplewell, A., and O'Reilly, J.J. see Popplewell, A.
Wong, W.C., and Goodman, D.J. A packet reservation multiple access protocol for integrated speech and data transmission p607
Wu, J.-L., and Shiu, J. Real-valued error control coding by using DCT p133
Wu, J.-L.C., Chang, Y.-J., and Ho, H.-J. see Chang, Y.-J.

X

Xu, Y. Maximum likelihood erasure decoding scheme for concatenated codes p336
Xydeas, C.S., Li, X., and Ireton, M.A. see Li, X.

Y

Yuan, J., Ma, S., Zhou, H., and Chen, C.S. see Ma, S.

Z

Zander, J., and Åhl, K.-A. Capacity of time-space switched cellular radio link systems for metropolitan area networks p533
Zhang, G., and McGee, W.F. Resonator based logarithmic filter banks p36
Zhou, H., Ma, S., Chen, C.S., and Yuan, J. see Ma, S.
Zingarelli, V., Benedetto, S., Biglieri, E., and Luvison, A. see Benedetto, S.

## Subject index


### ACOUSTOELECTRIC EFFECTS

Using the coherence function for noise reduction. R. Le Bouquin and G. Faucon p276

### ARRAY PROCESSING

Resolution of coherent sources in power inversion arrays with a fast zero tracking algorithm. C.C. Ko p45

### CODES AND DECODING

Architectures for fast encoding and error detection of cyclic codes. A. Popplewell, J.J. O'Reilly and S. Williams p340
Asymmetric modulation indices in full/partial response multi-H phase-coded modulations with different phase pulse functions. L.-S. Lee, H.-K. Hwang and S.-H. Chen p508
BER performance analysis of 4-CCL and 5-CCL codes in slotted indoor CDMA systems. X.-H. Chen and J. Oksman p79
Capacity and coding for memories with real-time noisy defect information at encoder and decoder. M. Salehi p113
Coding efficiency of multiring differential chain coding. A.B. Johannessen, R. Prasad, N.B.J. Weyland and J.H. Bons p224
Computationally simple ADPCM based on exponential power estimator. G. Mathew, S.V. Narasimhan and A.P. Shivaprasad p53
Decoding complement-closed codes with coordinate-disjoint decomposition. S. Ma, H. Zhou, C.S. Chen and J. Yuan p488
Decoding delays of orchard codes. J. Lee and A. Shiozaki p413
Evaluation of a class of error control line codes: an error performance perspective. A. Kokkos, J.J. O'Reilly, A. Popplewell and S. Williams p128
Image sequence coding using adaptive tree-structured vector quantisation with multipath searching. R.F. Chang, W.T. Chen and J.S. Wang p9
Low bit-rate image sequence coding using spatial decomposition. P.J. Cordell and R.J. Clarke p575
Maximum likelihood erasure decoding scheme for concatenated codes. Y. Xu p336
Note on the complete decoding of Kerdock codes. M. Elia, C. Losana and F. Neri p24
On transform coding of motion-compensated difference images. R.J. Clarke p372
Packet-based embedded encoding for transmission of low-bit-rate-encoded speech in packet networks. M.M. Lara-Barron and G.B. Lockhart p482
Performance evaluation of pragmatic TCM codes through band-limited nonlinear satellite channel: a computer simulation approach. V.K. Dubey, N.K. Lim and E. Gunawan p15
Performance of 8-PSK trellis codes over nonlinear fading mobile satellite channels. B. Vucetic and J. Nicolas p462
Performance of MPSK trellis-coded modulation in Rayleigh fading with an imperfect phase reference. K.Y. Chan and A. Bateman p329
Probability of frame synchronisation failure for binary and complex-valued sequences. W. Henkel and P. Keller p29
Pyramid transform coding. L. Wang and M. Goldberg p364
Real-valued error control coding by using DCT. J.-L. Wu and J. Shiu p133
Runlength limited binary error control codes. A. Popplewell and J.J. O'Reilly p349
Transmission of digitally encoded speech at 1.2 Kbaud for PCN. L. Hanzo, R. Salami, R. Steele and P.M. Fortune p437
Word-based dynamic algorithms for data compression. J. Jiang and S. Jones p582

### COMMUNICATION SYSTEMS THEORY

Asymmetric modulation indices in full/partial response multi-H phase-coded modulations with different phase pulse functions. L.-S. Lee, H.-K. Hwang and S.-H. Chen p508
Jitter analysis of a phase-locked digital timing recovery system. E. Panayirci p267
Maximum *a posteriori* decision feedback detection. G.W. Pulford and R.A. Kennedy p546
Monte Carlo simulation of direct sequence spread spectrum for indoor radio communication in a Rician fading channel. H.S. Misser, A. Kegel and R. Prasad p620
Multiple hops/symbol fast frequency-hopping spread spectrum multiple access with coding for indoor radio. M. Moeneclaey and J. Wang p95
Optimal virtual circuit routing in computer networks. Y.-J. Chang, J.-L.C. Wu and H.-J. Ho p625
Performance analysis of interconnected CSMA/CD local area networks. E.D. Sykas and G.L. Lyberopoulos p181
Performance of 8-PSK trellis codes over nonlinear fading mobile satellite channels. B. Vucetic and J. Nicolas p462
Scheduling delay protocols integrating voice and data on a bus LAN. S. Bolis, E.G. Economou and G. Philokyprou p407
Slotted ALOHA land-mobile radio networks with site diversity. J.-P.M.G. Linnartz p58
Teletraffic performance of microcellular personal communication networks. R. Steele and M. Nofal p448
Throughput efficiency and queueing analysis of generalised stop-and-wait ARQ protocols. R. Fantacci p251
Time-of-arrival-based retransmission scheduling for unslotted random access channels. D. Raychaudhuri p303

### COMPUTER SIMULATION

Pyramid transform coding. L. Wang and M. Goldberg p364

### DIGITAL CIRCUITS

Jitter analysis of a phase-locked digital timing recovery system. E. Panayirci p267

### DIGITAL COMMUNICATION SYSTEMS

Maximum-likelihood synchronisation algorithms for $Q^2PSK$. V. Acha and R.A. Carrasco p597
Moment-based performance evaluation of digital transmission systems. S. Benedetto, E. Biglieri, A. Luvison and V. Zingarelli p258
Multipath propagation effects on digital radio equipped with a plane reflector repeater. Y. Serizawa, Y. Watanabe and S. Takeshita p176
On the achievable information rates of DPSK. G. Kaplan and S. Shamai p311
Performance evaluation of Rayleigh and log-normal GMSK signals in the presence of cochannel interference. P.P.S. Carter and A.M.D. Turkmani p156
Probability of frame synchronisation failure for binary and complex-valued sequences. W. Henkel and P. Keller p29

### ERRORS AND ERROR ANALYSIS

Evaluation of a class of error control line codes: an error performance perspective. A. Kokkos, J.J. O'Reilly, A. Popplewell and S. Williams p128
Throughput efficiency and queueing analysis of generalised stop-and-wait ARQ protocols. R. Fantacci p251

### FEEDBACK

Maximum *a posteriori* decision feedback detection. G.W. Pulford and R.A. Kennedy p546

### FILTERS AND FILTERING

Reed–Solomon coded homodyne digital pulse position modulation. R.A. Cryan and R.T. Unwin p140
Resonator based logarithmic filter banks. G. Zhang and W.F. McGee p36
Synchronised linear almost periodically time-varying adaptive filter. H. Ding and M.M. Fahmy p429

### IMAGE PROCESSING

A new motion-compensated image sequence coding scheme at 64 kbit/s. Q. Wang and R.J. Clarke p219
Application of image contours to three aspects of image processing: compression, shape recognition and stereopsis. S. Marshall p1
Border following: new definition gives improved borders. T.D. Haig, Y. Attikiouzel and M.D. Alder p206
Coding efficiency of multiring differential chain coding. A.B. Johannessen, R. Prasad, N.B.J. Weyland and J.H. Bons p224
Detection of the extreme points of closed contours. X. Li, M.A. Ireton and C.S. Xydeas p198
Image sequence coding using adaptive tree-structured vector quantisation with multipath searching. R.F. Chang, W.T. Chen and J.S. Wang p9
Low bit-rate image sequence coding using spatial decomposition. P.J. Cordell and R.J. Clarke p575
Neural network approach to DPCM system design for image coding. C.N. Manikopoulos p501
On transform coding of motion-compensated difference images. R.J. Clarke p372
Progressive image transmission by content driven Laplacian pyramid encoding. G. Mongatti, L. Alparone, G. Benelli, S. Baronti, F. Lotti and A. Casini p495
Pyramid transform coding. L. Wang and M. Goldberg p364
Segmented coding of digital image sequences. M. Soryani and R.J. Clarke p212
Time-to-go estimation from infrared images. K.C. Markham p356

### INFORMATION AND COMMUNICATION THEORY

Capacity and coding for memories with real-time noisy defect information at encoder and decoder. M. Salehi p113
On the achievable information rates of DPSK. G. Kaplan and S. Shamai p311

### LOGIC

Architectures for fast encoding and error detection of cyclic codes. A. Popplewell, J.J. O'Reilly and S. Williams p340

### MATHEMATICAL TECHNIQUES

Border following: new definition gives improved borders. T.D. Haig, Y. Attikiouzel and M.D. Alder p206
Image sequence coding using adaptive tree-structured vector quantisation with multipath searching. R.F. Chang, W.T. Chen and J.S. Wang p9
Maximum *a posteriori* decision feedback detection. G.W. Pulford and R.A. Kennedy p546
Maximum-likelihood synchronisation algorithms for $Q^2PSK$. V. Acha and R.A. Carrasco p597
Neural adaptive congestion control for broadband ATM networks. X. Chen and I.M. Leslie p233
Neural network approach to DPCM system design for image coding. C.N. Manikopoulos p501
Real-valued error control coding by using DCT. J.-L. Wu and J. Shiu p133
Resolution of coherent sources in power inversion arrays with a fast zero tracking algorithm. C.C. Ko p45
Time-of-arrival-based retransmission scheduling for unslotted random access channels. D. Raychaudhuri p303
Word-based dynamic algorithms for data compression. J. Jiang and S. Jones p582

### MODULATION

A comparison study of low bit rate DE-QPSK, TCM 8-ary PSK and 16-ary DE-QAM fully digital demodulators operating over a land mobile satellite link. P. Fines and A.H. Aghvami p319
Asymmetric modulation indices in full/partial response multi-H phase-coded modulations with different phase pulse functions. L.-S. Lee, H.-K. Hwang and S.-H. Chen p508
Comparison of coherent and noncoherent modulation in the presence of phase noise. A.G. Burr p147

Computationally simple ADPCM based on exponential power estimator. G. Mathew, S.V. Narasimhan and A.P. Shivaprasad p53
Decoding metrics for slow frequency-hopped DPSK systems. Yu T. Su p525
Examination of an adaptive DFE and MLSE/near-MLSE for fading multipath radio channels. P.K. Shukla and L.F. Turner p418
Maximum-likelihood synchronisation algorithms for Q²PSK. V. Acha and R.A. Carrasco p597
Multiple hops/symbol fast frequency-hopping spread spectrum multiple access with coding for indoor radio. M. Moeneclaey and J. Wang p95
On the achievable information rates of DPSK. G. Kaplan and S. Shamai p311
PPM versus PCM for optical local-area networks. J.D. Martin and H.H. Hausien p241
Performance evaluation of pragmatic TCM codes through band-limited nonlinear satellite channel: a computer simulation approach. V.K. Dubey, N.K. Lim and E. Gunawan p15
Performance of MPSK trellis-coded modulation in Rayleigh fading with an imperfect phase reference. K.Y. Chan and A. Bateman p329
Spectral efficiency of *M*-QAM in frequency reuse radio systems. S.W. Wales p381
Transmission of digitally encoded speech at 1.2 Kbaud for PCN. L. Hanzo, R. Salami, R. Steele and P.M. Fortune p437

### NETWORKS

Capacity of time-space switched cellular radio link systems for metropolitan area networks. J. Zander and K.-A. Åhl p533
Design of a physical layer security mechanism for CSMA/CD networks. F.S.F. Poon and M.S. Iqbal p103
Neural adaptive congestion control for broadband ATM networks. X. Chen and I.M. Leslie p233
Optimal virtual circuit routing in computer networks. Y.-J. Chang, J.-L.C. Wu and H.-J. Ho p625
PPM versus PCM for optical local-area networks. J.D. Martin and H.H. Hausien p241
Packet level access control scheme for internetwork security. M.S. Iqbal and F.S.F. Poon p165
Performance analysis of interconnected CSMA/CD local area networks. E.D. Sykas and G.L. Lyberopoulos p181
Scheduling delay protocols integrating voice and data on a bus LAN. S. Bolis, E.G. Economou and G. Philokyprou p407
Statistical characterisation of a partitioned indoor radio channel. R. Ganesh and K. Pahlavan p539

### NOISE AND INTERFERENCE

A chirp modem incorporating interference excision. E.P. Darbyshire and G.F. Gott p395
Capacity and coding for memories with real-time noisy defect information at encoder and decoder. M. Salehi p113
Comparison of coherent and noncoherent modulation in the presence of phase noise. A.G. Burr p147
Increased CDMA system capacity through adaptive cochannel interference regeneration and cancellation. R.S. Mowbray, R.D. Pringle and P.M. Grant p515
Multipath propagation effects on digital radio equipped with a plane reflector repeater. Y. Serizawa, Y. Watanabe and S. Takeshita p176
Multiple hops/symbol fast frequency-hopping spread spectrum multiple access with coding for indoor radio. M. Moeneclaey and J. Wang p95
Performance evaluation of Rayleigh and log-normal GMSK signals in the presence of cochannel interference. P.P.S. Carter and A.M.D. Turkmani p156
Probability of co-channel interference for selection diversity reception in the Nakagami *m*-fading channel. S. Okui p91
Probability of error for *M*-branch macroscopic selection diversity. A.M.D. Turkmani p71
Using the coherence function for noise reduction. R. Le Bouquin and G. Faucon p276

### OPTICS

PPM versus PCM for optical local-area networks. J.D. Martin and H.H. Hausien p241
Reed–Solomon coded homodyne digital pulse position modulation. R.A. Cryan and R.T. Unwin p140

### PICTURE PROCESSING AND PATTERN RECOGNITION

3-D object recognition using fuzzy quaternions. K.N. Ngan and S.B. Kang p561
Application of image contours to three aspects of image processing: compression, shape recognition and stereopsis. S. Marshall p1
Border following: new definition gives improved borders. T.D. Haig, Y. Attikiouzel and M.D. Alder p206
Detection of the extreme points of closed contours. X. Li, M.A. Ireton and C.S. Xydeas p198
Dimension and structure of the speech space. R. Togneri, M.D. Alder and Y. Attikiouzel p123
Low bit-rate image sequence coding using spatial decomposition. P.J. Cordell and R.J. Clarke p575
Using predicted irradiation profiles to extract shape information from infrared images. P. Foulkes p569

### PULSE-CODE MODULATION

Neural network approach to DPCM system design for image coding. C.N. Manikopoulos p501
Reed–Solomon coded homodyne digital pulse position modulation. R.A. Cryan and R.T. Unwin p140

### RADIO-WAVE PROPAGATION (TROPOSPHERIC)

Statistical characterisation of a partitioned indoor radio channel. R. Ganesh and K. Pahlavan p539

### RADIOCOMMUNICATION

A chirp modem incorporating interference excision. E.P. Darbyshire and G.F. Gott p395
A comparison study of low bit rate DE-QPSK, TCM 8-ary PSK and 16-ary DE-QAM fully digital demodulators operating over a land mobile satellite link. P. Fines and A.H. Aghvami p319
A packet reservation multiple access protocol for integrated speech and data transmission. W.C. Wong and D.J. Goodman p607
Busy code broadcasting and sensing protocol for collision-free CDMA packet radio networks and its performance analysis. X.H. Chen and J. Oksman p613
Capacity of time-space switched cellular radio link systems for metropolitan area networks. J. Zander and K.-A. Åhl p533
Convolutionally encoded FFH-MFSK: demodulation and frequency tracking over frequency-varying jammed channels. J.A. Gibbs and S.J. Braithwaite p386
Decoding metrics for slow frequency-hopped DPSK systems. Yu T. Su p525
Examination of an adaptive DFE and MLSE/near-MLSE for fading multipath radio channels. P.K. Shukla and L.F. Turner p418
IF digital generation of FMCW waveforms for wideband channel characterisation. S. Salous p281
Increased CDMA system capacity through adaptive cochannel interference regeneration and cancellation. R.S. Mowbray, R.D. Pringle and P.M. Grant p515
Monte Carlo simulation of direct sequence spread spectrum for indoor radio communication in a Rician fading channel. H.S. Misser, A. Kegel and R. Prasad p620
Multipath propagation effects on digital radio equipped with a plane reflector repeater. Y. Serizawa, Y. Watanabe and S. Takeshita p176
Multiple hops/symbol fast frequency-hopping spread spectrum multiple access with coding for indoor radio. M. Moeneclaey and J. Wang p95
Performance evaluation of Rayleigh and log-normal GMSK signals in the presence of cochannel interference. P.P.S. Carter and A.M.D. Turkmani p156
Performance of MPSK trellis-coded modultion in Rayleigh fading with an imperfect phase reference. K.Y. Chan and A. Bateman p329
Probability of co-channel interference for selection diversity reception in the Nakagami *m*-fading channel. S. Okui p91
Probability of error for *M*-branch macroscopic selection diversity. A.M.D. Turkmani p71
Slotted ALOHA land-mobile radio networks with site diversity. J.-P.M.G. Linnartz p58
Spectral efficiency of *M*-QAM in frequency reuse radio systems. S.W. Wales p381
Statistical characterisation of a partitioned indoor radio channel. R. Ganesh and K. Pahlavan p539
Teletraffic performance of microcellular personal communication networks. R. Steele and M. Nofal p448
Throughput analysis and protocol design for CSMA and BTMA protocols under noisy environments. J.-H. Huang and L. Kleinrock p289
Throughput analysis of some mobile packet radio protocols in Rician fading channels. R. Prasad and C.-Y. Liu p297
Transmission of digitally encoded speech at 1.2 Kbaud for PCN. L. Hanzo, R. Salami, R. Steele and P.M. Fortune p437
Use of code sensing technique in the receiver-based spreading code protocol and its performance analysis. X.H. Chen, W.X. Lu and J. Oksman p85
Using the coherence function for noise reduction. R. Le Bouquin and G. Faucon p276

### SATELLITE LINKS AND SPACE COMMUNICATION

Comparison of coherent and noncoherent modulation in the presence of phase noise. A.G. Burr p147
Performance evaluation of pragmatic TCM codes through band-limited nonlinear satellite channel: a computer simulation approach. V.K. Dubey, N.K. Lim and E. Gunawan p15
Performance of 8-PSK trellis codes over nonlinear fading mobile satellite channels. B. Vucetic and J. Nicolas p462

### SIGNAL PROCESSING

Hermite polynomials for signal reconstruction from zero-crossings. Part 1: One-dimensional signals. Y.V. Venkatesh p587
Performance evaluation of pragmatic TCM codes through band-limited nonlinear satellite channel: a computer simulation approach. V.K. Dubey, N.K. Lim and E. Gunawan p15

### SIMULATION

Comparison of coherent and noncoherent modulation in the presence of phase noise. A.G. Burr p147
Monte Carlo simulation of direct sequence spread spectrum for indoor radio communication in a Rician fading channel. H.S. Misser, A. Kegel and R. Prasad p620
Neural adaptive congestion control for broadband ATM networks. X. Chen and I.M. Leslie p233

### SPEECH SYNTHESIS

Computationally simple ADPCM based on exponential power estimator. G. Mathew, S.V. Narasimhan and A.P. Shivaprasad p53
Dimension and structure of the speech space. R. Togneri, M.D. Alder and Y. Attikiouzel p123
Measurements of vocal tract shapes using magnetic resonance imaging. A.R. Greenwood, C.C. Goodyear and P.A. Martin p553
Mixed Fourier/Walsh transform scheme for speech coding at 4.0 kbit/s. A.S. Spanias and P.C. Loizou p473
Spectral coding by LSP frequencies — scalar and segmented VQ-methods. R. Hagen and P. Hedelin p118

### TELECOMMUNICATION

BER performance analysis of 4-CCL and 5-CCL codes in slotted indoor CDMA systems. X.-H. Chen and J. Oksman p79
Neural adaptive congestion control for broadband ATM networks. X. Chen and I.M. Leslie p233
PPM versus PCM for optical local-area networks. J.D. Martin and H.H. Hausien p241
Performance analysis of interconnected CSMA/CD local area networks. E.D. Sykas and G.L. Lyberopoulos p181
Scheduling delay protocols integrating voice and data on a bus LAN. S. Bolis, E.G. Economou and G. Philokyprou p407
Slotted ALOHA land-mobile radio networks with site diversity. J.-P.M.G. Linnartz p58

## VOICE COMMUNICATION


Mixed Fourier/Walsh transform scheme for speech coding at 4.0 kbit/s. A.S. Spanias and P.C. Loizou p473

Packet-based embedded encoding for transmission of low-bit-rate-encoded speech in packet networks. M.M. Lara-Barron and G.B. Lockhart p482

Scheduling delay protocols integrating voice and data on a bus LAN. S. Bolis, E.G. Economou and G. Philokyprou p407

Transmission of digitally encoded speech at 1.2 Kbaud for PCN. L. Hanzo, R. Salami, R. Steele and P.M. Fortune p437

Using the coherence function for noise reduction. R. Le Bouquin and G. Faucon p276

Voice activity detection using a periodicity measure. R. Tucker p377